


Loudness scaling chart

How loud is the sound?



Very unclear 0 1 2 3 4 5 6 7 8 9 10 Very clear

Very unpleasant 0 1 2 3 4 5 6 7 8 9 10 Very pleasant

Note for clinicians:

- You can choose any number on the scale to ask your client to aim for based on which task you are completing.

■ Cochlear Ltd (ABN 96 002 618 073) 1 University Avenue, Macquarie University, NSW 2109, Australia T: +61 2 9428 6555 F: +61 2 9428 6352

www.cochlear.com

In Australia, Cochlear Nucleus implant systems are intended for the treatment of moderately severe to profound hearing loss. Please seek advice from your health professional about treatments for hearing loss. Outcomes may vary, and your health professional will advise you about the factors which could affect your outcome. Always follow the directions for use. Not all products are available in all countries. Please contact your local Cochlear representative for product information.

Cochlear, Hear now. And always, the elliptical logo, and marks bearing an ® or ™ symbol, are either trademarks or registered trademarks of Cochlear group of companies (unless otherwise noted).

© Cochlear Limited 2022. D2042934 V1 2022-10

Closed set sentence task

Your clinician will read a sentence and ask you which one you think it is.

List 1

The sun is out today
The weather is so lovely in the summer
It's hot
No thank you

List 2

I will have milk and sugar
Would you like a cup of tea?
The kettle is boiling
Yes please
I don't like my tea too strong, please take the bag out
That is delicious
Thank you

List 3

How fast can you run?
I run very fast
They run fast too
I lost the race

Note for clinicians:

- The first list of sentences are of different lengths and require choosing between 4 options.
- The second list of sentences are of different lengths and require choosing between 7 options.
- The third list of sentences are of similar lengths and so require more ability to identify the individual components as opposed to discriminating based on timing cues of the sentence.
- You can vary the task by using a sheet of paper to cover some of the sentences.
- These are not speech perception tests and are not intended to be used as such. Please do not score these. They are for the purpose of demonstrating listening ability and starting the conversation about aural rehabilitation. Please see our rehabilitation materials online for further exercises and support.

■ Cochlear Ltd (ABN 96 002 618 073) 1 University Avenue, Macquarie University, NSW 2109, Australia T: +61 2 9428 6555 F: +61 2 9428 6352

www.cochlear.com

In Australia, Cochlear Nucleus implant systems are intended for the treatment of moderately severe to profound hearing loss. Please seek advice from your health professional about treatments for hearing loss. Outcomes may vary, and your health professional will advise you about the factors which could affect your outcome. Always follow the directions for use. Not all products are available in all countries. Please contact your local Cochlear representative for product information.

Cochlear, Hear now. And always, the elliptical logo, and marks bearing an ® or ™ symbol, are either trademarks or registered trademarks of Cochlear group of companies (unless otherwise noted).

© Cochlear Limited 2022. D2042934 V1 2022-10